

Bibliography

The following sources of information have been used in preparing each chapter in this Manual.

Chapter 1 – Introduction

Bledsoe, B.P. and Watson, C.C. (2001), “Effects of Urbanization on Channel Instability,” *Water Pollution Control Federation Journal* 45 (5), pp. 850-869.

Booth, D.B. (1991), “Urbanization and the Natural Drainage System- Impacts, Solutions and Prognoses,” *The Northwest Environmental Journal*, 7:93-118, University of Washington.

Booth, D.B. (1997), “Rationale for a ‘Threshold of Concern’ in Stormwater Release Rates,” Center for Urban Water Resources Management, Department of Civil Engineering, University of Washington, 8 pp.

Booth, D.B., Hartley, D. and Jackson, R. (2002), “Forest Cover, Impervious-Surface Area, and the Mitigation of Stormwater Impacts,” *Journal of the American Water Resources Association*, Vol. 38 No. 3, 11 pp.

Booth, D.B. and Jackson, C.R. (1997), “Urbanization of Aquatic Systems: Degradation Thresholds, Stormwater Detention, and the Limits of Mitigation,” *Journal of the American Water Resources Association*, Vol. 22 No. 5, 20 pp.

California State Department of Transportation (2002), *Stormwater Monitoring and Data Management 2000-2001 Annual Data Summary Report*, California Department of Transportation Publication Number CTSW-RT-02-002, 51 pp.

Cappuccitti, DJ and Page, WE (2000), *Stream Response to Stormwater Management Best Management Practices in Maryland*, Section 319(h) Clean Water Act Report submitted by the Maryland Department of the Environment to U.S. Environmental Protection Agency.

Hajda, P., V. Novotny and A. Bartosova (1999), *Estimating the Effect of Urbanization on the Discharge-Frequency Relationship*, Technical report no. 4, Milwaukee: Institute for Urban Environmental Risk Management, Marquette University.

Hammer, T.R. (1972), “Stream Channel Enlargement Due to Urbanization,” *Water Resources Research*, Vol. 8, No. 6.

- Harvey, D.E. and Watson, CC (1986), "Fluvial Processes and Morphological Thresholds in Incised Channel Restoration," *Water Resources Bulletin*, Vol. 22, No. 3.
- Hollis, G.E. (1975), "The Effect of Urbanization on Floods of Different Recurrence Intervals," *Water Resources Research*, Vol. 11, No. 3.
- Institute of Traffic Engineers (1991), *Trip Generation*, 5th edition, IR-016C. (Note: a 6th edition was published in 1997.)
- Inter-Fluve Inc. (2003), "Scientific Basis for Requiring Flow Control at Development Sites in Eastern Washington," final report to the Stormwater Management for Eastern Washington Project Manual Subcommittee, June 2003.
- Leopold, L.B., Wolman, M.G. and Miller, J.P. (1964), *Fluvial Processes in Geomorphology*, San Francisco: WH Freeman Co., 511 pp.
- Molash, E. (1999), Washington State Department of Transportation Fourth Year NPDES Program Summary, official submittal to Washington State Department of Ecology dated September 7, 1999.
- Pitt, R., Clark, S., and Field, R. (1999), "Groundwater Contamination Potential from Stormwater Infiltration Practices," *Urban Water*, vol. 1, no. 3, pp. 217-236.
- Schueler, T. (1995), *Site Planning for Stream Protection: Environmental Land Planning Series*, prepared for the Department of Environmental Programs, Metropolitan Washington Council of Governments in Washington, D.C.
- "Stormwater Strategies for Arid and Semi-Arid Watersheds," *Watershed Protection Techniques*, Vol. 3 No. 3, March 2000.
- Strecker, E.W. and others (1997), *Analysis of Oregon Urban Runoff Water Quality Monitoring Data Collected from 1990 to 1996*, Oregon Association of Clean Water Agencies.
- U.S. Environmental Protection Agency (2001), *Our Built and Natural Environments*, EPA 231-R-01-002, 93 pp.
- U.S. Environmental Protection Agency (1983), *Results of the Nationwide Urban Runoff Program*: NTIS accession number PB84-185545.
- U.S. Environmental Protection Agency (1999), *The Class V Underground Injection Control Study*: EPA/816-R-99-014.
- U.S. Environmental Protection Agency (1990), "Urban Targeting and BMP Selection: An Information and Guidance Manual for State NPS Program Staff Engineers and Managers," final report for EPA Contract No. 68-C8-0034.
- Williams, G.P. (1978), "Bankfull Discharge of Rivers," *Water Resources Research*, Vol. 14, No. 6, pp. 1141-1153.

Chapter 2 – Core Elements for New Development and Redevelopment

Bledsoe, B.P. and Watson, C.C. (2001), “Effects of Urbanization on Channel Instability,” *Water Pollution Control Federation Journal* 45 (5), pp. 850-869.

Booth, D.B. (1997), *Rationale for a ‘Threshold Of Concern’ in Stormwater Release Rates*, Center for Urban Water Resources Management, University of Washington.

Cappuccitti, D.J. and Page, W.E. (2000), *Stream Response to Stormwater Management Best Management Practices in Maryland*, Section 319(h) Clean Water Act Report submitted by the Maryland Department of the Environment to the U.S. Environmental Protection Agency.

Hammer, T.R. (1972), “Stream Channel Enlargement Due to Urbanization,” *Water Resources Research*, Vol. 8, No. 6.

Harvey, D.E. and Watson, C.C. (1986), “Fluvial Processes and Morphological Thresholds in Incised Channel Restoration,” *Water Resources Bulletin*, Vol. 22, No. 3.

Institute of Traffic Engineers (1991), *Trip Generation*, 5th edition, IR-016C. (Note: a 6th edition was published in 1997.)

Inter-Fluve Inc. (2003), “Scientific Basis for Requiring Flow Control at Development Sites in Eastern Washington,” final report to the Stormwater Management for Eastern Washington Project Manual Subcommittee, June 2003.

Leopold, L.B., Wolman, M.G. and Miller, J.P. (1964), *Fluvial Processes in Geomorphology*, San Francisco: W.H. Freeman Co., 511 pp.

U.S. Environmental Protection Agency (1990), “Urban Targeting and BMP Selection: An Information and Guidance Manual for State NPS Program Staff Engineers and Managers,” final report for EPA Contract No. 68-C8-0034.

U.S. Environmental Protection Agency (1983), *Results of the Nationwide Urban Runoff Program*, NTIS accession number PB84-185545.

U.S. Environmental Protection Agency (1999), *The Class V Underground Injection Control Study*, EPA/816-R-99-014.

Williams, G.P. (1978), “Bankfull Discharge of Rivers,” *Water Resources Research*, Vol. 14, No. 6, pp. 1141-1153.

Chapter 3 – Preparation of Stormwater Site Plans

Adapted from Volume I, Chapters 2 and 3 in the *Stormwater Management Manual for Western Washington*, Department of Ecology Publication 99-11, August 2001.

Spokane County (1998), *Spokane County Guidelines for Stormwater Management*, Section 2, February 1998.

Chapter 4 – Hydrologic Analysis and Design

Adapted from Volume III, Chapter 2 in the *Stormwater Management Manual for Western Washington*, Department of Ecology Publication 99-13, August 2001.

Center for Watershed Protection, *Stormwater Practices for Cold Climates*, Stormwater Manager's Resource Center (SMRC), Ellicott City, Maryland.

Chow, V.T. (1964), *Handbook of Hydrology*, Section 8, Frequency Analysis, McGraw Hill.

Daly, C., Neilson, R.P., and Phillips, D.L. (1994), *A Statistical-Topographic Model for Mapping of Climatological Precipitation over Mountainous Terrain* (PRISM Parameter-Elevation Regression on Independent Slopes Model), *Journal of Applied Meteorology*, Volume 33, pp140-158.

Frederick, R.H., Richards, F.P., and Schwerdt, R.W. (1981), *Interduration Precipitation Relations for Storms – Western United States*, NOAA Technical Memorandum NWS 27, U.S. Dept. of Commerce, NOAA, National Weather Service, Washington DC.

Hosking, J.R.M. and Wallis, J.R. (1997), *Regional Frequency Analysis - An Approach Based on L-Moments*, Cambridge Press.

Miller, J.F., Frederick, R.H. and Tracey, R.S. (1973), *Atlas 2, Precipitation-Frequency Atlas of the Western United States*, U.S. Dept. of Commerce, NOAA, National Weather Service, Washington, D.C.

National Weather Service (1994), *Probable Maximum Precipitation for the Pacific Northwest States - Columbia, Snake River, and Pacific Coastal Drainages*, Hydrometeorological Report No. 57, US Department of Commerce, NOAA, Silver Spring, MD, October 1994.

Oregon Climate Service (1997), *Mean Annual Precipitation Maps for Western United States*, PRISM Model, Corvallis Oregon.

Parrett, C. (1998), *Characteristics of Extreme Storms in Montana and Methods for Constructing Synthetic Storm Hyetographs*, USGS, Water Resources Investigations Report 98-4100, Helena Montana, July 1998.

Righellis, A.O. (2003), "Modeling Methodology for Custom Design Storms in Eastern Washington," final report to the Stormwater Management for Eastern Washington Project Manual Subcommittee, May 2003.

Schaefer, M.G. (1989), *Characteristics of Extreme Precipitation Events in Washington State*, Washington State Dept. of Ecology, Water Resources Program, Report 89-51, October 1989.

Schaefer, M.G. (1990), "Regional Analyses of Precipitation Annual Maxima in Washington State," *Water Resources Research*, Vol.26, No.1, pp. 119-132, January 1990.

Schaefer, M.G. (1993), *Design Storm Construction*, Technical Note 3, Washington State Dept. of Ecology, Dam Safety Guidelines, Water Resources Program, Report 92-55G, April 1993.

Schaefer, M.G. (2002, #1), "Background Information on Design Storms to be Condensed for Inclusion in Manual," January, 2002.

Schaefer, M.G. (2002, #2), "Application of Water Quality Storm in Sizing Infiltration Swales and Wetpools," Revision 1, May 2002.

Stahre, P. and Urbonas, B. (1989), "Swedish Approach to Infiltration and Percolation Design," *Design of Urban Runoff Quality Controls*, edited by L.A. Roesner, B. Urbonas and M.B. Sonnen, ASCE, New York.

Stedinger, J.R., Vogel, R.M., and Foufoula-Georgiou, E. (1992), Frequency Analysis of Extreme Events," Chapter 18 in *Handbook of Hydrology*, McGraw Hill.

U.S. Department of Agriculture Soil Conservation Service (1986), *Urban Hydrology for Small Watersheds, Technical Release 5*, June 1986, now available from U.S. Department of Agriculture Natural Resources Conservation Service.

Washington State Department of Transportation (1997), *Hydraulics Manual*, January 1997.

Chapter 5 – Runoff Treatment Facility Design

Adapted from Volume V of the *Stormwater Management Manual for Western Washington*, Department of Ecology Publication 99-15, August 2001.

ASCE (1992), "Design and Construction of Urban Stormwater Management Systems," ASCE Manuals and Reports of Engineering Practice No. 77, ASCE, New York, NY.

Appleyard, S.J. (1993), "Impact of the stormwater infiltration basins on groundwater quality, Perth metropolitan region, Western Australia," *Environmental Geology*, vol. 21, no. 4, pp. 227-236.

Ehrlich, G.G, Ku, H.F.H., Vecchioli, J. and Ehike, T.A. (1979), *Microbial Effects of Recharging the Magothy Aquifer, Bay Park, New York, with Tertiary Treated Sewage*, U.S. Geologic Survey Professional Paper 751-E, Prepared in cooperation with the Nassau County Department of Public Works, Washington, D.C.

Hitchcock and Cronquist (1973), *Flora of the Pacific Northwest*.

Hortus Northwest (1993), *Wetland Plants for Western Oregon*, Issue 4.

- Ingloria, R.V., Hawthorn, W.E., and Yonge, D.R. (1997), "Native Organic Matter and Trace Metal Attenuation during Stormwater Infiltration," *Journal of Hydrologic Engineering*, vol. 2, no. 3, pp. 120-128.
- Kadlec, R. and Knight, R.L. (1996), *Treatment Wetlands*.
- Koob, T., Barber, M.E. and Hathhorn, W.E. (1999), "Hydrologic Design Considerations of Constructed Wetlands for Stormwater Runoff," *Journal of the American Water Resources Association*, Vol. 35, No. 2, pp 323-331.
- King County (1998), *King County Surface Water Design Manual*, September 1998.
- Kulzer, L. (1997), *Urban Stream Protection, Restoration, and Stewardship in the Pacific Northwest*, New Westminster, B.C., March 10, 1997.
- Mason, Y., Ammann, A.A., Ulrich, A., and Sigg, L. (1999), "Behavior of Heavy Metals, Nutrients, and Major Components during Roof Runoff Infiltration," *Environmental Science and Technology*, vol. 33, no. 10, pp. 1588-1597.
- Mikkelsen, P.S., Haefliger, M., Ochs, M., Jacobsen, P., Tjell, J.C., and Boller, M. (1996, #1), "Pollution of Soil and Groundwater from Infiltration of Highly Contaminated Stormwater - A Case Study," *Water Science and Technology*, vol. 36 no. 8-9, pp. 325-330.
- Mikkelsen, P.S., Haefliger, M., Ochs, M., Tjell, J.C., Jacobsen, P., and Boller, M. (1996, #2), "Experimental Assessment of Soil and Groundwater Contamination from Two Old Infiltration Systems for Road Run-Off in Switzerland," *Science of the Total Environment*, vol. 189-190, pp. 341-347.
- Pitt, R., Clark, S., and Field, R. (1999), "Groundwater Contamination Potential from Stormwater Infiltration Practices," *Urban Water*, vol. 1, no. 3, pp. 217-236.
- Pope, L.M. and Hess, L.G. (1989), "Load-Detention Efficiencies in a Dry-Pond Basin," *Design of Urban Runoff Quality Controls*, edited by Roesner, Urbonas and Sonnen, ASCE, New York.
- Robertson, J. and Edberg, S. (1997), "Natural Protection of Spring and Well Drinking Water Against Surface Microbial Contamination: 1. Hydrogeological Parameters," *Critical Reviews in Microbiology*, 23(2):193.
- Schaefer, M.G. (2002) "Application of Water Quality Storm in Sizing Infiltration Swales and Wetpools," Revision 1, May 2002.
- Spokane County (1998), *Spokane County Guidelines for Stormwater Management*, Section 5, February 1998.

“Stormwater Strategies for Arid and Semi-Arid Watersheds,” *Watershed Protection Techniques*, Vol. 3 No. 3, March 2000.

Schueler, T. (1992), *Design of Stormwater Wetland Systems: Guidelines for Creating Diverse and Effective Stormwater Wetland Systems in the Mid-Atlantic Region*, October 1992.

Schueler, T.R. and Helfrich, M. (1989), “Design of Extended Detention Wet Pond Systems,” *Design of Urban Runoff Quality Controls*, edited by Roesner, Urbonas and Sonnen, ASCE, New York, NY.

U.S. Environmental Protection Agency (1999), *The Class V Underground Injection Control Study*, EPA/816-R-99-014.

Washington State Department of Ecology (1993), *Restoring Wetlands in Washington*, Pub. #93-17.

Chapter 6 – Flow Control Facility Design

Adapted from Volume III, Chapter 3 in the *Stormwater Management Manual for Western Washington*, Department of Ecology Publication 99-13, August 2001.

Center for Watershed Protection, *Stormwater Practices for Cold Climates*, Stormwater Manager’s Resource Center (SMRC), Ellicott City, Maryland.

GeoEngineers, Inc. (2002), “Guidance for Infiltration Rate Determination,” Technical Memo, June 2002.

Spokane County (1998), *Spokane County Guidelines for Stormwater Management*, Section 3, February 1998.

Washington State Department of Ecology (2002), Groundwater Susceptibility Memo, July 2002.

Chapter 7 – Construction Stormwater Pollution Prevention

Adapted from Volume II of the *Stormwater Management Manual for Western Washington*, Department of Ecology Publication 99-12, August 2001.

Association of General Contractors of Washington, *Water Quality Manual*.

Clark County Conservation District (1981), *Erosion and Runoff Control*, January 1981.

King County Conservation District (1981), *Construction and Erosion Control*, December 1981.

King County Department of Transportation (1998), *Road Maintenance BMP Manual (Final Draft)*, May 1998.

King County (1998), *Surface Water Design Manual*, September 1998.
Maryland Erosion and Sedimentation Control Manual, 1983.

Michigan State Guidebook for Erosion and Sediment Control, 1975.

Reinelt, L. (1991a), *Construction Site Erosion and Sediment Control Inspector Training Manual*, Center for Urban Water Resources Management, University of Washington, October 1991.

Reinelt, L., (1991b), *Processes, Procedures, and Methods to Control Pollution Resulting from All Construction Activity*, Center for Urban Water Resources Management, University of Washington, October 1991.

Snohomish County (1998), *Addendum to the 1992 Ecology Stormwater Management Manual for the Puget Sound Basin*, September 1998.

State of Virginia (1980), *Erosion and Sediment Control Handbook*, 2nd Edition.

Chapter 8 – Source Control

Adapted from Volume IV of the *Stormwater Management Manual for Western Washington*, Department of Ecology Publication 99-14, August 2001.

CH2M Hill (2000), *Comments on Washington State Department of Ecology Draft Publication 99-11 through 99-15*, Soil Improvement Project Engineering Report for Snohomish County, February 2000.

Daar, Olkowski, and Olkowski (1992), *IPM Training Manual for Gardeners*, Berkeley, CA.

Daar, S. (1992), *Least Toxic Pest Management for Lawns*, Integral Resource Center, Berkeley, CA.

Field, R., Pitt, R.E., and others, “Urban Wet-Weather Flows,” *Water Environment Research Literature Review*, 1997.

Fugitive Dust Background Document and Technical Information Document for Best Available Control Measures, EPA-450/2-92-004.

Gaus, J. (1994), *High Use/Oil Control Decision Paper-Second Draft*, King County Surface Water Management.

King County Surface Water Management (1995), *Best Management Practices for Businesses*, July 1995.

Office of Management and Budget (1987), *Standard Industrial Classification Manual*.

Olkowski, W., Olkowski, H. and Daar, S. (1988), “What is IPM?,” *Common Sense Pest Control*, Volume 3, summer 1988.

Perry, G. and others (2000), *A Comprehensive IPM Program*, King County Local Hazardous Waste Management Program, November 7, 2000.

Pitt, R. (1995), “Urban Stormwater Toxic Pollutants: Assessment, Sources, and Treatability,” *Water Environment Research*, May/June 1995.

- Sartor, J.D. and Boyd, B.G. (1972), *Water Pollution Aspects of Street Surface Contaminants*, EPA-R2-72-081, November 1972, p.7.
- Schueler, T.R. (1997), "Comparative Pollutant Removal Capability of Urban BMPs: A Reanalysis," *Watershed Protection Techniques*, June 1997.
- Silverman, G.S. and Stenstrom, M.K. (1988), "Source Control of Oil and Grease in an Urban Area," *Design of Urban Runoff Quality Controls*, ASCE, 1988.
- Strecker, E.W. and others (1997), *Analysis of Oregon Urban Runoff Water Quality Monitoring Data Collected from 1990 to 1996*, the Oregon Association of Clean Water Agencies, February 1997 draft.
- Sutherland, R. (1998), *High Efficiency Sweeping as an Alternative to the Use of Wet Vaults for Stormwater Treatment*.
- U.S. Environmental Protection Agency (1988), *Control of Open Fugitive Dust Sources*, EPA-450/3-88-088.
- U.S. Environmental Protection Agency (1995), *Multi-Sector Stormwater Permit and Fact Sheet*, September 1995.
- U.S. Environmental Protection Agency (1983), *Results of the Nationwide Urban Runoff Program*, December 1983.
- U.S. Environmental Protection Agency, *Suspended, Canceled and Restricted Pesticides*.
- Washington State Department of Ecology (1996), *Implementation Guidance for the Ground Water Quality Standards*, publication 96-02.
- Washington Department of Ecology (1995), *NPDES and State Waste Discharge Baseline General Permit for Stormwater Discharge Associated with Industrial Activities*, November 18, 1995.
- Washington State Department of Ecology (1996), *Techniques for Dust Prevention and Suppression*, publication #96-433.
- Washington State Department of Ecology (1993), *Stormwater Pollution Prevention Planning for Industrial Facilities*, WQ-R-93-015, September 1993.
- Washington State Department of Ecology (1997), *Emergency Spill Response in Washington State*, Publication #97-1165-CP.
- Washington State Department of Ecology (1997), *Compost Facility Resource Handbook, Guidance for Washington State*, Publication #97-502, November 1998.
- Washington State Department of Ecology (1994), *A Guide for Screen Printers*, Publication #94-137.

Washington State Department of Ecology (1994), *A Guide for Lithographic Printers*, Publication #94-139.

Washington Department of Ecology (1989), *Hazardous Waste Pesticides*, Publication #89-41.

Washington State Department of Ecology (1995), *Best Management Practices to Prevent Stormwater Pollution at Log Yards*, Publication #95-053, May 1995.

Washington State Department of Ecology (1994), *Best Management Practices to Prevent Stormwater Pollution at Vehicle Recycler Facilities*, #94-146, September 1994.

Washington State Department of Ecology (1995), *Vehicle and Equipment Washwater Discharges*, WQ-95-056, June 1995.